AD-A047 285 ARMY INVENTORY RESEARCH OFFICE PHILADELPHIA PA F/G 15/5
WAITING TIME IN AN S-1, S INVENTORY SYSTEM WITH ARBITRARILY DIS--ETC(U)
NOV 77 W K KRUSE

UNCLASSIFIED IRO-TR-78-1 NL

END
DATE FILMED
1-78
DDC

AD A047285

AD-
TECHNICAL REPORT
TR 78-1

(11)
B.S.

WAITING TIME IN AN S-1,S INVENTORY SYSTEM WITH ARBITRARILY DISTRIBUTED LEAD TIMES

U.S. ARMY
INVENTORY
RESEARCH
OFFICE

October 1977

DDC
RECEIVED
DEC 5 1977
D

ROOM 800
U.S. CUSTOM HOUSE
2nd and Chestnut Streets
Philadelphia Pa. 19106

AD No.
DDC FILE COPY

Approved for Public Release; Distribution Unlimited

Information and data contained in this document are based on input available at the time of preparation. Because the results may be subject to change, this document should not be construed to represent the official position of the U.S. Army Materiel Command unless so stated.

ACCESSION for
NTIS White Section X
DDC Buff Section
UNANNOUNCED
JUSTIFICATION
BY
DISTRIBUTION/AVAILABILITY CODES
Dist. AVAIL. and/or SPECIAL
A

(14) IRO-TR-78-1

(6) WAITING TIME IN AN S-1, S INVENTORY SYSTEM WITH ARBITRARILY DISTRIBUTED LEAD TIMES.

(9) TECHNICAL REPORT,

BY

(10) W. KAR[illegible]

(11) NOVEMBER [illegible]77

(12) 12p.

Approved for Public Release; Distribution Unlimited

US ARMY INVENTORY RESEARCH OFFICE
US ARMY LOGISTICS MANAGEMENT CENTER
ROOM 800 US CUSTOM HOUSE
2ND AND CHESTNUT STREETS
PHILADELPHIA, PA 19106

DDC
RECEIVED
DEC 5 1977
D

403 572

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) WAITING TIME IN AN S-1, S INVENTORY SYSTEM WITH ARBRITRARILY DISTRIBUTED LEAD TIMES		5. TYPE OF REPORT & PERIOD COVERED Technical Report 6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) W. KARL KRUSE		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Inventory Research Office, ALMC Room 800, US Custom House, 2nd & Chestnut Sts. Philadelphia, PA 19106		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Materiel Development & Readiness Cmd 5001 Eisenhower Avenue Alexandria, VA 22333		12. REPORT DATE November 1977 13. NUMBER OF PAGES 11
14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)

Approved for Public Release; Distribution Unlimited

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

Information and data contained in this document are based on input available at the time of preparation. Because the results may be subject to change, this document should not be construed to represent the official position of the US Army Materiel Development & Readiness Command unless so stated.

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Inventory Theory
Waiting Time

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

The customer waiting time distribution is derived for an S-1,S inventory system experiencing Poisson demands and general iid lead times. An analogy is made with the M/G/∞ queue in order to analyze the system. Some comparisons are made with an approximate result due to Higa, et al.

infinity

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Introduction

In this paper we derive the probability distribution of customer wait at a supply point following an S-1,S inventory policy. Higa, et al [1] derived the waiting time distribution for an S-1,S policy for compound Poisson demands and exponentially distributed lead times. Sherbrooke [3] investigated the distribution for the case of constant lead times. This paper derives similar results for the pure Poisson case but allows for an arbitrary lead time distribution.

Waiting Time Distribution

Customers arrive at a supply point using an S-1,S inventory policy according to a Poisson process. All customer requests are for one unit, and are filled by a FIFO priority. Lead times are iid with an arbitrary distribution F(x).

We use the analogy with the infinite server Poisson queue with general iid service times. The analogy is specifically-placing of an order : arrival of a customer.

We use Ross' [2] pp 17,18 analysis of the infinite server Poisson queue.

Definitions:

$x(t)$ = number of customers in service at t, $t \geq 0$

$r(t,\tau)$ = number of service completions in t to $t + \tau$

$r_1(t,\tau)$ = number of service completions in t to $t + \tau$ of those which arrived in $[0,t)$

$r_2(t,\tau)$ = number of service completions in t to t + τ of those which arrived in $(t,t+\tau)$

F(z) = service time distribution function

We take t as the time of a customer's arrival.

Now $r(t,\tau) = r_1(t,\tau) + r_2(t,\tau) + \delta(\tau)$

where $\delta(\tau) = 1$ if present customer's service time is $\leq \tau$

$= 0$ otherwise

The customer waits longer than τ if and only if

(1) $x(t) - r(t,\tau) \geq S$

If the number in service at the customers arrival offset by returns in t to t + τ is greater than or equal to S, then there are either back-orders which must be filled before the current order ($x(t) - r(t,\tau) > S$) or else the next arriving item will be used to fill the current order ($x(t) - r(t,\tau) = S$). Since we have Poisson arrivals, the given condition of an arrival at t has no effect on the likelihood of past or future arrivals. Practically then, we may deal with the queue conditions at t without regard to the arrival occurring there. Now (1) may be expressed as

$$x(t) - r(t,\tau) = x(t) - r_1(t,\tau) - r_2(t,\tau) - \delta(\tau) \geq S$$

But $x(t) - r_1(t,\tau) \equiv x_1(t,\tau)$

= number of arrivals in o to t which are still in service at t + τ

Using Ross' method of analysis we have

$$\Pr[x_1(t,\tau) = j \mid N(t) = n] = \binom{n}{j} p_1^j (1-p_1)^{n-j}$$

where

$N(t)$ = number of arrivals in $[o,t)$

p_1 = probability that an arbitrarily chosen arrival in o to t is in service at $t + \tau$

$$= \frac{1}{t}\int_o^t [1 - F(t+\tau-z)]dz = \frac{1}{t}\int_\tau^{t+\tau} (1-F(z))dz$$

z, the time of the arbitrary arrival given N(t) arrivals, is uniform in (o,t). $1 - F(t+\tau-z)$ is the probability that an arrival at z is still in service at $t + \tau$

Merely duplicating Ross' algebra we have that

$$(2) \qquad \Pr[x_1(t,\tau) = j] = e^{-\lambda t p_1} \frac{(\lambda t p_1)^j}{j!}$$

ie Poisson with parameter $\lambda t p_1$ where λ = arrival rate.

We also have by similar reasoning that

(3) $r_2(t,\tau)$ is Poisson with parameter $\lambda \tau p_o$

where $p_o = \frac{1}{\tau}\int_o^\tau F(z)dz$ = probability that an arbitrarily chosen arrival in $(t,t+\tau)$ completes service by $t +\tau$.

Let $Y(t,\tau) = r_2(t,\tau) + \delta(\tau)$

Then

$$\Pr[w > \tau] = \Pr[x_1(t,\tau) - Y(t,\tau) \geq S]$$

Since $x_1(t,\tau)$ and $Y(t,\tau)$ are independent we have

$$(4) \qquad \Pr[w > \tau] = \sum_{k=S}^{\infty} \sum_{m=k}^{\infty} \Pr[Y(t,\tau) = m - k] \Pr[x_1(t,\tau) = m]$$

On switching the order of summation, and some simple algebra we get

$$\Pr[w > \tau] = \sum_{m=o}^{\infty} \Pr[x_1(t,\tau) = S+m] \sum_{k=o}^{m} \Pr[Y(t,\tau) = k]$$

Using the definition of $\delta(\tau)$ we see that $\Pr[Y(t,\tau) = k]$

$$= \Pr[r_2(t,\tau) = k][1-F(\tau)] + \Pr[r_2(t,\tau) = k-1][F(\tau)] \text{ for } k > o$$

and

$$\Pr[Y(t,\tau) = o] = \Pr[r_2(t,\tau) = o][1-F(\tau)]$$

Substituting these into (4) we have

$$\Pr[w>\tau] = \sum_{m=o}^{\infty} \Pr[x_1(t,\tau) = S+m] \left\{ \sum_{k=o}^{m} [1-F(\tau)]\Pr[r_2(t,\tau) = k] + \sum_{k=1}^{m} [F(\tau)]\Pr[r_2(t,\tau) = k - 1] \right\}$$

$$= \sum_{m=o}^{\infty} \Pr[x_1(t,\tau) = S + m] \left\{ \sum_{k=o}^{m} [1-F(\tau)]\Pr[r_2(t,\tau) = k] + \sum_{k=o}^{m-1} [F(\tau)] \Pr[r_2(t,\tau) = k] \right\}$$

$$= \sum_{m=o}^{\infty} \Pr[x_1(t,\tau) = S+ m) \left[\sum_{k=o}^{m-1} \Pr[r_2(t,\tau) = k]] + [1-F(\tau)]\Pr[r_2(t,\tau)=m] \right]$$

So,

$$(5)\quad \Pr[w>\tau] = \sum_{m=1}^{\infty} \Pr[x_1(t,\tau) = S + m] \sum_{k=o}^{m-1} \Pr[r_2(t,\tau) = k] +$$

$$\sum_{m=o}^{\infty} \Pr[x(t,\tau) = S + m][1-F(\tau)]\ \Pr[r_2(t,\tau) = m]$$

Any attempt to compute $\Pr[w > \tau]$ from the above form (5) must use an approximation. One approximation is to use a finite sum.

Let

$$(6)\quad G(\tau,N) = \sum_{m=1}^{N} \Pr(x_1(t,\tau) = S + m] \sum_{k=o}^{m-1} \Pr[r_2(t,\tau) = k]$$

$$+ \sum_{m=o}^{N} \Pr[x_1(t,\tau) = S + m][1-F(\tau)]\Pr[r_2(t,\tau) = m]$$

and

$$G(\tau) = \Pr[w > \tau]$$

Then $G(\tau) - G(\tau,N) = E(\tau,N)$

$$= \sum_{m=N+1}^{\infty} \Pr[x_1(t,\tau) = S + m] \sum_{k=o}^{m-1} \Pr[r_2(t,v) = k]$$

$$+ \sum_{m=N+1}^{\infty} \Pr(x_1(t,\tau) = S + m][1-F(\tau)]\Pr[r_2(t,\tau) = m]$$

$$\leq \sum_{m=N+1}^{\infty} \Pr[x_1(t,\tau) = S + m] = \sum_{m=s+N+1}^{\infty} \Pr[x_1(t,\tau) = m]$$

Or

$$E(\tau,N) \leq 1 - \sum_{m=o}^{S+N} Pr[x_1(t,\tau) = m]$$

Thus, we may choose N with the assurance of achieving any error tolerance.

Comparison With Higa's Results

Higa, et al developed the customer waiting time distribution for stuttering Poisson arrivals and exponential service lead times. Some results for the pure Poisson case were published in their paper. Following is a comparison of their results with this work with exponential service times.

Arrival Rate = .01

Mean Service Time	S	Prob[w = o]		Prob[w ≤ 10]	
		Higa, et al	Kruse	Higa	Kruse
5	1	.951	.951	.999	.999
	2	.999	.999	1.000	1.000
	3	1.000	1.000	1.000	1.000
10	1	.905	.905	.986	.987
	2	.995	.995	1.000	1.000
	3	1.000	1.000	1.000	1.000
20	1	.819	.819	.928	.929
	2	.982	.982	.996	.996
	3	.999	.999	1.000	1.000
40	1	.670	.670	.783	.785
	2	.938	.938	.968	.969
	3	.992	.992	.997	.997

The differences shown in the above table, although small, are real differences between the two models. They are not due to computational approximations, since our results have been made accurate to 10^{-4}. Higa's results are approximate because he ignores the effect of what we have called $r_2(t,\tau)$. Where we have required

$$x_1(t,\tau) - r_2(t,\tau) - \delta(t) \geq S$$

for wait to exceed τ, Higa requires only

$$x_1(t,\tau) - \quad (t) \geq S$$

The two models seem to agree because of the particular parameter values used in the above table. For these values, the probability that $r_2(t,\tau)$ is greater than zero is always less than .05.

The following table compares the two models for an arrival rate of 1.0 instead of .01. This tends to make $r_2(t,\tau)$ a more significant contributor to the probability distribution of wait.

ARRIVAL RATE = 1.0

Mean Service Time	S	Prob [w=o] Higa	Prob [w=o] Kruse	Prob [w ≤ 10] Higa	Prob [w ≤ 10] Kruse
5	1	.006	.006	.806	.998
	2	.040	.040	.952	1.000
	3	.125	.125	.991	1.000
10	1	0.000	0.000	.084	.663
	2	0.000	0.000	.226	.785
	3	0.003	0.003	.421	.876
20	1	0.000	0.000	0.000	.005
	5	0.000	0.000	.012	.085
	10	0.005	0.005	.271	.501
	15	.105	.105	.790	.898
40	1	0.000	0.000	0.000	0.000
	25	0.004	.004	.123	.178
	30	.043	.043	.410	.491
	40	.479	.479	.933	.952

Ignoring $r_2(t,\tau)$, then, may in some cases result in large errors in the probability distribution. Note that both models agree for G(o) since $r_2(t,\tau) = o$ in this case.

REFERENCES

1 Higa, I., Feyerherm, A., and Machado, A., "Waiting Time in an (S-1,S) Inventory System," Operations Research 23, 674-680 (1975).

2 Ross, Sheldon, Applied Probability Models with Optimization Applications, Holden-Day, San Francisco, 1970.

3 Sherbrooke, Craig, "Waiting Time in an (S-1,S) Inventory System - Constant Service Time Case," Operations Research 23, 819-820 (1975).

DISTRIBUTION

COPIES	
1	Deputy Under Sec'y of the Army, ATTN: Office of Op Resch
	Headquarters, US Army Materiel Development & Readiness Command
1	DRCPA-S
2	Defense Logistics Studies Info Exchange, DRXMC-D
2	Commander, US Army Logistics Center, Ft. Lee, VA 23801
1	Commander, US Army Tank-Automotive Research & Development Cmd, ATTN: DRDTA-V, Warren, MI 48090
1	Commander, US Army Tank-Automotive Materiel Readiness Cmd, ATTN: DRSTA-S, Warren, MI 48090
1	Commander, US Army Armament Materiel Readiness Cmd, Rock Island, IL 61201 ATTN: DRSAR-SA
1	Commander, US Army Armament R&D Cmd, Dover, NJ 07801 ATTN: DRDAR-SEA
1	Commander, US Army Electronics Cmd, Ft. Monmouth, NJ 07703 ATTN: DRSEL-SA
1	Commander, US Army Missile Materiel Readiness Cmd, Redstone Arsenal, AL 35809 ATTN: DRSMI-D
1	Commander, US Army Missile R&D Cmd, Redstone Arsenal, AL 35809 ATTN: DRDMI-DS
1	Director, Army Management Engineering Training Agency, Rock Island Arsenal, Rock Island, IL 61202
1	Commandant, US Army Logistics Mgt Center, Ft. Lee, VA 23801
1	Defense Logistics Agency, Cameron Sta, Alexandria, VA 22314
4	Dep Chf of Staff (I&L), HQ USMC-LMP-2, ATTN: MAJ Sonneborn, Jr., Wash., DC 20380
10	Defense Documentation Center, Cameron Sta., Alexandria, VA 22314
1	Commander, US Air Force Logistics Cmd, WPAFB, ATTN: AFLC/XRS, Dayton, Ohio 45433
1	US Navy Fleet Materiel Support Office, Naval Support Depot, Mechanicsburg, PA 17055
1	Mr. James Prichard, Navy Supply Systems Cmd, Dept of US Navy, Wash., DC 20376
1	George Washington University, Inst of Management Science & Engr., 707 22nd St., N.W., Wash., DC 20006
1	Naval Postgraduate School, ATTN: Dept of Opns Anal, Monterey, CA 93940
1	Air Force Institute of Technology, ATTN: SLGQ, Head Quantitative Studies Dept., Dayton, OH 43433
2	The Army Library, Room 1A518, Pentagon, Wash., DC 20310
1	US Army Military Academy, West Point, NY 10996
1	Logistics Mgt Institute, 4701 Sangamore Rd., Wash., DC 20016
1	University of Florida, ATTN: Dept of Industrial Systems Engr., Gainesville, FL 32601
1	RAND Corp., ATTN: S. M. Drezner, 1700 Main St., Santa Monica, CA 90406

COPIES	
1	US Army Materiel Systems Analysis Activity, ATTN: AMXSY-CL, Aberdeen Proving Ground, MD 21005
1	Commander, US Army Logistics Center, ATTN: Studies Analysis Div., Concepts & Doctrine Directorate, Ft. Lee, VA 23801
1	ALOG Magazine, ATTN: Tom Johnson, USALMC, Ft. Lee, VA 23801
1	Commander, US Army Missile R&D Cmd, ATTN: DRDMI-X-C, Redstone Arsenal, AL 35809
1	Commander, US Army Missile R&D Cmd, ATTN: DRDMI-X-D, Redstone Arsenal, AL 35809
1	Commander, US Army Natick Research & Development Cmd, ATTN: DRXNM-O, Natick, MA 01760
1	Commander, US Army Mobility Equipment Research & Development Cmd, ATTN: DRXFB-O, Ft. Belvoir, VA 22060
1	HQ, Dept of the Army, (DASG-HCL-P), Wash., DC 20314
1	Commander, Air Force Logistics Cmd, ATTN: AFLC/AQMLE, WPAFB, Dayton, OH 45433
1	Operations Research Center, 3115 Etcheverry Hall, University of California, Berkeley, CA 94720
1	Dr. Jack Muckstadt, Dept of Industrial Engineering & Operations Research, Upson Hall, Cornell University, Ithaca, NY 14890
1	Prof Herbert P. Galliher, Dept of Industrial Engineering, University of Michigan, Ann Arbor, MI 48104
1	Mr. Ellwood Hurford, Scientific Advisor, Army Logistics Center, Ft. Lee, VA 23801
1	Prof Robert M. Stark, Dept of Stat & Computer Sciences, University of Delaware, Newark, DEL 19711
1	Prof E. Gerald Hurst, Jr., Dept of Decision Science, The Wharton School, University of Penna., Phila., PA 19174
1	Logistics Studies Office, DRXMC-LSO, ALMC, Ft. Lee, VA 23801
1	Procurement Research Office, DRXMC-PRO, ALMC, Ft. Lee, VA 23801
1	Dept of Industrial Engr. & Engr. Management, Stanford University, Stanford, CA 94305
1	Commander, US Army Communication Command, ATTN: Dr. Forrey, CC-LOG-LEO, Ft. Huachuca, AZ 85613
1	Commander, US Army Test & Evaluation Cmd, ATTN: DRSTE-SY, Aberdeen Proving Ground, MD 21005
1	Prof Harvey M. Wagner, Dean, School of Business Adm, University of North Carolina, Chapel Hill, NC 27514
1	Dr. John Voelker, Mechanical Engr. Bldg., Room 144, University of Illinois, Urbana, IL 61801